_					Бераг	tment	of P	пЫ	c He	alth a	in	d Social S	ervices				-
1					Dopai	Divi	sion	of I	Envir	onme	n	tal Heaith	51 VI063				
					Food E	Esta	blis	hn	nen	t Ins	SE	ection	Report	Pag	je	of _	1_
INSPECTIO	N RSN	TYPE	GRADE		INSPECT	TION DA	TE			ABLIS	ΗМ	ENT NAME					- 200
Regular	1		l c			191	18					MS M	ARKET				
Follow-up	V	V			TIME IN		ME OL			MIT H		Market Land		200		016200	
Complaint	-		RATIN	G		10-		M	Gu	IAM	S	AVECO (DUTLET INCORPOR	ATEL	2		
Investigatio	n		I A	- 1	SANITARY				57.5		•	(ddress)					
Other:					170000				W	VIST	10	T ROAD	YIGO GUAM				
0.000			NT TYPI	E	AREA	EC. 111	EPHO		_		-		ion Violations	0		CATE	GORY
- 7	ETA					653							ntervention Violations	0		2_	
		FO											IEALTH INTERVE		NS		
			Circi	le designa	ited compliance (IN,	OUT, N/	O, N/A) for e	each nu	mbered	iter	m, Mark "X" in	appropriate box for COS and/or				e lesson
			T = Not in	complian	ice N/O = Not obse	rved N/							during inspection R = Repeat v	olation	PTS = [
Complian	ce su	itus		Supe	rvision		cos	K	IPIS	Cor	пр	liance Status	tentially Hazardous Food	TCC E		OS R	I PT
4 100			Person is	No. of London	present, demonstrate	es .		_	Τ.	16	In		Proper cooking time and temp		Ouj		1 6
1 IN C	UT				erforms duties				6	17			Proper reheating procedures for		ling		6
					ee Health					18	_		Proper cooling time and temper				6
2 IN C			A contract of the contract of		reness; policy preser				6	19	_		Proper hot holding temperature				6
3 IN C	UT				rting, restriction & ex	xclusion		_	6	20	_	N OUT N/A	Proper cold holding temperatu				6
		-	AND DESCRIPTION OF THE PERSON NAMED IN		ing, drinking, beteln:	rt or		_	_	21	Tiv	Y OUT N/A N/I	Proper date marking and dispo	sition			6
4 IN C	UT N/A	N/O	tobacco	-	ing, alliking, seteili	at, 01			6	6			Consumer Advisor	У			
5 IN 0	UT N/A	N/O	No disch	arge from	eyes, nose, and mo	uth			6		T					T	T
					mination by Har	nds				22	IN	OUT N/A	Consumer Advisory provided foundercooked foods	or raw or	- 1		6
6 IN O	UT N/A	N/O			roperly washed			1	6	_	L	.50					
7 IN 0	UT N/A	N/O			act with ready-to-eat method properly fol				6	5	_	Salara et	Highly Susceptible Popu				
		_			shing facilities suppli			_	\vdash	23	IN	OUT N/A	Pasteurized foods used; prohit offered	ited foods	not		6
8 NO	UT		accessib						6	1000			Chemical			-	
	27.5			Approve	ed Source	. Š. K				24	T	OUT N/A	Food additions annound and			T	T
9 IN O			Food obt	ained from	n approved source				6	24	Ľ	OUI NA	Food additives: approved and	эгорепу и:	Sec		6
	UT N/A	N/O			roper temperature				6	25	IN	OUT	Toxic substances properly iden	tified, stor	red.		6
11 IN O	U				ition, safe, and unad		\vdash		6	\vdash	L		used				
12 IN 0	UT N/A	NO		destruction	rvailable: shellstock t n	tags,			6		_		formance with Approved Compliance with variance, spe		ires	-	-
	N. Vin		_		n Contamination			100		26	IN	OUT N/A	process, and HACCP plan	Jenizou		*	6
13 IN O			Food sep	arated an	d protected				6		Ē	Rick factors p	re improper practices or procedu	rea Identif	ind on th	ne most	
14 IN O	JT N/A			-	ces: cleaned & sanit				6				buting factors of foodborne illnes				
15 IN OL	JT				of returned, previous ed, and unsafe food				6		-	interventions a	re control measures to prevent fo	odborne i	ilness o	r injury.	
-							ומכ	₹F	TAIL	PR	57	CTICES			- 19	-	
			Good Ret	tail Practic	es are preventative								micals, and physical objects into	foods.			
Mark	"X" in b	ox: If n	umbered	item is no	t in compliance and/	for if COS	and/o	cR.	COS	=Соптес	tec	d on-site during	inspection R =Repeat violatio	PTS	=Deme	rit points	5
Complian	ce Sta	tus		to Const			cos	R	PTS	Con	ıpi	lance Status		4000110	C	OS R	PTS
27	Dasta	rizad i		where re	and Water				11	40	_	Ilo uso uton	Proper Use of Utens sils: properly stored	IS			1 4
	1										-		ans, properly stored quipment and linens; properly sto	red dried	-	5000	+-
28	Water	and lo	e from ap	proved so	urce				2	41		handled	desperience area minerior brokens, and	rea, anca			1
29	Varian	ce obt			d processing method	is			1	42		Single-use/	single-service articles: properly s	tored, use	be		1
	In.				rature Control			Clercal		43			s used properly				11
Proper cooling methods used; adequate equipment for temperature control								1	\vdash	_		Utensils, Equipment and \	-				
31				ked for ho	ot holding				1	44		1000000	onfood-contact surfaces cleanat constructed, and used	e, proper	ıy		1
31 Plant food properly cooked for hot holding 32 Approved thawing methods used					-		\Box	45	t		ng facilities: installed, maintaine	, used; te	est	+-	1		
						\vdash	_	\vdash		Sinps				\rightarrow	+		
Thermometer provided and accurate Food Identification						- 1		1	46		Nontood-co	entact surfaces clean Physical Facilities				11	
34	Food	properly		original co				_	1	47	_	Hot & cold	water available, adequate pressu	170		_	2
					od Contaminatio	n				48	\vdash		stalled; proper backflow devices		_		2
35	Insects, rodents, and animals not present								2	49			d wastewater property disposed		\neg	\top	2
36	Contamination prevented during food peparation, storage &							1	50							2	
37 Personal cleanliness						\rightarrow	_		51						+		
38 Wiping cloths: properly used and stored						-	_	1	52	-	_	fuse properly disposed; facilities silities installed, maintained, and		ru	-	1	
39 Washing fruits and vegetables								1	53	-		entilation and lighting; designate		se	+	++	
					the above viola	ation(s)	, and						Documents and Placa			1 mm 1	C
					measures that s	hall be	take	n.		54		Sanitary Pe	rmit, Health Certificates valid an	posted			2
Person in C	harge (Print a	nd Sign)	11 0	-	-		1				Da	to: 6//10/.0	7			
				11 (Slo		-	-	7			1-1	06/19/12				
DEH Inspec			Sign	4-0	Slo	10	12	7	_		_		06/19/18		Follow	N-Up De	the
Garal	tor (Pri	nt and	Sign	11.0	_SEO CITALAS	E AHO			_				ollow-up (Circle one): YES	NO	Follow	w-up Da	tte

FOOD Establishment Inspection Report Page 2 of ESTABLISHMENT NAME PALMS MARKET WO STINK OF BOAD YIGH. GVAM INSPECTION DATE SANTARY PERMIT NO. PERMIT HOLDER TOWN OF THE TOWN	10		Departi		: Health and So nvironmental H		2S			
ESTABLISHMENT NAME PALMS MARKET WYSTING FOAD YIGD, GVAN INSPECTION DATE SANTARY PERMIT NO. PERMIT HOLDER GWAN SAVE(D DUTLET INCARDRATED TEMPERATURE OBSERVATIONS IMENULocation Temperature (* F) IMENULocation Temperature (Food E				port		Page 2	of 2
INSPECTION DATE SANITARY PERMIT NO. PERMIT HOLDER FULLY SAVED OUTLET NCGRORATED TEMPERATURE OBSERVATIONS Item/Location Temperature (* F) Item/Location Temperature (* F) Item/Location Temperature (* F) TIEM NO. OBSERVATIONS AND CORRECTIVE ACTIONS GORRECTIVE ACTIONS SAVED OUTLET NCGRORATED THE NO. OBSERVATIONS AND CORRECTIVE ACTIONS SAVED OUTLET NCGRORATED THE FOLIOUS INSPECTION MAS CONDUCTED C					LOCATION (Address	B)				
TEMPERATURE OBSERVATIONS Item/Location Temperature (*F) Item/Location Temperature (*F)	P	ALMS M			WU SSTING	POAD	YIGO.	GVA.	M	
TEMPERATURE OBSERVATIONS Item/Location						<i>I</i>		1440-000	04	
Item/Location Temperature (*F) Item/Location	<u> </u>	119/18					TLET	INCREB	RATIED)
ITIEM NO. OBSERVATIONS AND CORRECTIVE ACTIONS EVOLUTIONS Violations cited in this report must be corrected within the time frames indicated, or as stated in Sections 8-405.11 at 8-406.11 of the Guam Food Code. A FOLDOW - UP INSPECTION WAS CONDUCTED. PREVIOUS INSPECTION COMPUCTED ON 16/2/18 (1/2, 1/2). THE FOLDWING WAS COSERVED. ALL PREVIOUS VIOLATION WAS CORPECTED. ITEM # (8). NO NEW VIOLATIONS WERE OBSERVED. C PLACAPO # 00974 REMOVED. A PLACAPO # 02725 FSUED. PIC RRIEFED ON ABOVE.	100	Itam/Location				and the state of t	ention		T	-1 (a F)
Violations cited in this report must be corrected within the time frames indicated, or as stated in Sections 8-405.11 s 8-406.11 of the Guam Food Code. A TOMBW - VP INSPECTION WAS CONDUCTED. PREVIOUS INSPECTION COMPUCTED ON 6/2/18 (b , c). THE FOLIDWING WAS CREEVED. ALL PREVIOUS VIOLATION WAS CORRECTED. TIEM # (8). NO . NEW VIOLATIONS WERE OBSERVED. C PLACARD # 00974 REMOVED A PLACARD# 02725 TSSUED. PIC RRIEFED ON ABOVE.		Herir Localio	II E	Temperature	()	- Item/Lo	Cauon		remper	ature (* F)
Violations cited in this report must be corrected within the time frames indicated, or as stated in Sections 8-405.11 s 8-406.11 of the Guam Food Code. A TOMBW - UP INSPECTION WAS CONDUCTED. PREVIOUS INSPECTION COMPUCTED ON 6/2/18 (6 , c). THE FOLISWING WAS CREEVED. ALL PREVIOUS VIOLATION WAS CORPECTED. TIEM # (8). NO . NEW VIOLATIONS WERE OBSERVED. C PLACARD # 00974 REMOVED A PLACARD# 02725 TSSUED. PIC RRIEFED ON ABOVE.										
Violations cited in this report must be corrected within the time frames indicated, or as stated in Sections 8-405.11 s 8-406.11 of the Guam Food Code. A TOLDEW - UP INSPECTION WAS CONDUCTED. PREVIOUS INSPECTION COMPLETED ON 6/2/18 (6 , c). THE FOLISWING WAS CREEVED. ALL PREVIOUS VIOLATION WAS CORPECTED. JIEM # (8). NO . NEW VIOLATIONS WERE OBSERVED. C PLACARD # 00974 REMOVED A PLACARD# 02725 ISSUED. PIC RRIEFED ON ABOVE.										
Violations cited in this report must be corrected within the time frames indicated, or as stated in Sections 8-405.11 s 8-406.11 of the Guam Food Code. A TOLDEW - UP INSPECTION WAS CONDUCTED. PREVIOUS INSPECTION COMPLETED ON 6/2/18 (6 , c). THE FOLISWING WAS CREEVED. ALL PREVIOUS VIOLATION WAS CORPECTED. JIEM # (8). NO . NEW VIOLATIONS WERE OBSERVED. C PLACARD # 00974 REMOVED A PLACARD# 02725 ISSUED. PIC RRIEFED ON ABOVE.			<u> </u>							
Violations cited in this report must be corrected within the time frames indicated, or as stated in Sections 8-405.11 s 8-406.11 of the Guam Food Code. A TOMBW - UP INSPECTION WAS CONDUCTED. PREVIOUS INSPECTION COMPUCTED ON 6/2/18 (6 , c). THE FOLISWING WAS CREEVED. ALL PREVIOUS VIOLATION WAS CORPECTED. TIEM # (8). NO . NEW VIOLATIONS WERE OBSERVED. C PLACARD # 00974 REMOVED A PLACARD# 02725 TSSUED. PIC RRIEFED ON ABOVE.										
Violations cited in this report must be corrected within the time frames indicated, or as stated in Sections 8-405.11 s 8-406.11 of the Guam Food Code. A TOMBW - UP INSPECTION WAS CONDUCTED. PREVIOUS INSPECTION COMPUCTED ON 6/2/18 (6 , c). THE FOLISWING WAS CREEVED. ALL PREVIOUS VIOLATION WAS CORPECTED. TIEM # (8). NO . NEW VIOLATIONS WERE OBSERVED. C PLACARD # 00974 REMOVED A PLACARD# 02725 TSSUED. PIC RRIEFED ON ABOVE.										
Violations cited in this report must be corrected within the time frames indicated, or as stated in Sections 8-405.11 s 8-406.11 of the Guam Food Code. A TOMBW - VP INSPECTION WAS CONDUCTED. PREVIOUS INSPECTION COMPUCTED ON 6/2/18 (b , c). THE FOLIDWING WAS CREEVED. ALL PREVIOUS VIOLATION WAS CORRECTED. TIEM # (8). NO . NEW VIOLATIONS WERE OBSERVED. C PLACARD # 00974 REMOVED A PLACARD# 02725 TSSUED. PIC RRIEFED ON ABOVE.								**		
Violations cited in this report must be corrected within the time frames indicated, or as stated in Sections 8-405.11 s 8-406.11 of the Guam Food Code. A TOMBW - VP INSPECTION WAS CONDUCTED. PREVIOUS INSPECTION COMPUCTED ON 6/2/18 (b , c). THE FOLIDWING WAS CREEVED. ALL PREVIOUS VIOLATION WAS CORRECTED. TIEM # (8). NO . NEW VIOLATIONS WERE OBSERVED. C PLACARD # 00974 REMOVED A PLACARD# 02725 TSSUED. PIC RRIEFED ON ABOVE.		· · · · · · · · · · · · · · · · · · ·							<u> </u>	
Violations cited in this report must be corrected within the time frames indicated, or as stated in Sections 8-405.11 s 8-406.11 of the Guam Food Code. A TOMBW - VP INSPECTION WAS CONDUCTED. PREVIOUS INSPECTION COMPUCTED ON 6/2/18 (b , c). THE FOLIDWING WAS CREEVED. ALL PREVIOUS VIOLATION WAS CORRECTED. TIEM # (8). NO . NEW VIOLATIONS WERE OBSERVED. C PLACARD # 00974 REMOVED A PLACARD# 02725 TSSUED. PIC RRIEFED ON ABOVE.			ODOEDV.	4710110 411	D 0000000	NAME A COMM	744			CORREC
8-406.11 of the Guam Food Code. A FOLDW - UP INSPECTION WAS CONDUCTED. PREVIOUS INSPECTION CONDUCTED ON 6/2/18 (6, c). THE FOLDWING WAS OBSERVED. ALL PREVIOUS VIOLATION WAS CORPECTED: TIEM # (8). NO NEW VIDLATIONS WERE OBSERVED. C PLACARD # CORP #		34.5								BY DATE
A FOLDW - UP INSPECTION WAS CONDUCTED. PREVIOUS INSPECTION CONDUCTED ON 6/2/18 (6, c). THE FOLDWING WAS CRSERVED. ALL PREVIOUS VIOLATION WAS CORPECTED. JIEM# (8). NO .NEW VIOLATIONS WERE OBSERVED. C. PLACARD# 00974 REMOVED. A PLACARD# 02725 ISSUED. PIC BRIEFED ON ABOVE.	Violation	s cited in this rep					or as state	ed in Section	ons 8-40	5.11 and
PREVIOUS INSPECTION COMPLETED ON 6/2/18 (6, 4). THE FOLISWING WAS OBSERVED. ALL PREVIOUS VIOLATION WAS CORPECTED: JIEM # (8). NO NEW VIOLATIONS WERE OBSERVED. C. PLACARD # 00974 REMOVED. A PLACARD# 02725 TSEVED. PIC BRIEFED ON ABOVE.										
THE FOLLOWING WAS CORPECTED. ALL PREVIOUS VIOLATION WAS CORPECTED. TEM # (8). NO . NEW VIDLATIONS WERE OBSERVED. C. PLACARD # 00974 REMOVED. A. PLACARD # 02725 TSUED. PIC. BRIEFED ON ABOVE. saed on the inspection today, the items listed above Identity Violations which shall be corrected by the data specified by the Department. Failure to comply may result in immediate auspension of the Sanitary Permit or downgrade. If seeking to appeal the result of any notice or inspection findings, a written request for hearing must be immediated auspension of the Sanitary Permit or downgrade. If seeking to appeal the result of any notice or inspection findings, a written request for hearing must be immediated auspension of the Sanitary Permit or downgrade. If seeking to appeal the result of any notice or inspection findings, a written request for hearing must be immediated.							()			
ALL PREVIOUS VIOLATION WAS CORPECTED: JTEM # (8). NO . NEW VIOLATIONS WERE OBSERVED. C PLACARD # 00974 REMOVED A PLACARD# 02725 TSUED. PIC BRIEFED ON ABOVE. PIC BRIEFED ON ABOVE.		PREVIOUS	INSPECTIO	N CONDU	CTED ON	6/12/18	(b, c	<u>). </u>		
ALL PREVIOUS VIOLATION WAS CORRECTED: JTEM # (8). NO . NEW VIOLATIONS WERE OBSERVED. C PLACARD # 00974 REMOVED A PLACARD# 02725 TSUED. PIC BRIEFED ON ABOVE. PIC BRIEFED ON ABOVE.										
TIEM # (8). NO NEW VIDLATIONS WERE OBSERVEO. C PLACARD # 00974 REMOVED A PLACARD# 02725 TSSUED. PIC BRIEFED ON ABOVE. PIC BRIEFED ON ABOVE.		THE FOLLOW	ING WAS	OBSERVED) <u>. </u>					
TIEM # (8). NO . NEW VIDLATIONS WERE OBSERVEO. C. PLACARD # 00974 REMOVED A. PLACARD# 02725 TISSUED. PIC. BRIEFED DN. ABOVE. seed on the inspection today, the items listed above identify violations which shall be corrected by the date specified by the Department. Failure to comply may result be immediate suspension of the Sanitary Permit or downgrade. If seeking to appeal the result of any notice or inspection findings, a written request for hearing must be unbriefled for the Director within the nacidor of time architector control or the sanitary permit or downgrade. If seeking to appeal the result of any notice or inspection findings, a written request for hearing must be unbriefled to control for the sanitary permit or downgrade.										
NO NEW VIDLATIONS WERE OBSERVED. C PLACARD # 00974 REMOVED A PLACARD# 02725 TSUED. PIC BRIEFED ON ABOVE. seed on the inspection today, the items listed above identify violations which shall be corrected by the date specified by the Department. Failure to comply may result be immediate suspension of the Sanitary Permit or downgrade. If seeking to appeal the result of any notice or inspection findings, a written request for hearing must be universitied.		ALL PREVIO	US VIOLATI	DN WAS	CORPECT	ED.				
C PLACARD # 00974 REMOVED A PLACARD# 02725 TSUED. PIC BRIEFED ON ABOVE. PIC Briefed on the Inspection today, the Items listed above Identify violations which shall be corrected by the date specified by the Department. Failure to comply may result be immediate suspension of the Sanitary Permit or downgrade. If seeking to appeal the result of any notice or inspection findings, a written request for hearing must be uniqued for the project of the projec		ITEN#(8	5).							
C PLACARD # 00974 REMOVED A PLACARD# 02725 TSUED. PIC BRIEFED ON ABOVE. PIC Briefed on the Inspection today, the Items listed above Identify violations which shall be corrected by the date specified by the Department. Failure to comply may result be immediate suspension of the Sanitary Permit or downgrade. If seeking to appeal the result of any notice or inspection findings, a written request for hearing must be uniqued for the project of the projec										
C PLACARD # 00974 REMOVED A PLACARD# 02725 TSUED. PIC BRIEFED ON ABOVE. PIC Briefed on the Inspection today, the Items listed above Identify violations which shall be corrected by the date specified by the Department. Failure to comply may result be immediate suspension of the Sanitary Permit or downgrade. If seeking to appeal the result of any notice or inspection findings, a written request for hearing must be uniqued for the project of the projec		NO NEW	VIDLATIONS	WEFE OB	SERVED					
A PLACARON 02725 TSUEO PIC BRIEFED ON ABOVE. assed on the Inspection today, the items listed above identity violations which shall be corrected by the data specified by the Department. Failure to compty may result be immediate suspension of the Sanitary Permit or downgrade. It seeking to appeal the result of any notice or inspection findings, a written request for hearing must be unbritted to the Director within the pariod of time as tablished in the pariod of time					=					
A PLACARON 02725 TSUEO PIC BRIEFED ON ABOVE. ased on the Inspection today, the items listed above identify violations which shall be corrected by the date specified by the Department. Failure to comply may result be immediate suspension of the Sanitary and odowngrade. It seeking to appeal the result of any notice or inspection findings, a written request for hearing must be unmitted to the Director within the needed of time activations in the entire for corrections.		C PLACARI) # 00974 R	EMOVED.						
PIC BRIEFED ON ABOVE. PIC BRIEFED ON ABOVE. ased on the inspection today, the items listed above identify violations which shall be corrected by the date specified by the Department. Failure to comply may result be immediate suspension of the Santary Permit or downgrade. If seeking to appear the result of any notice or inspection findings, a written request for hearing must be unwritten.										
ased on the inspection today, the items listed above identify violations which shall be corrected by the date specified by the Department. Failure to comply may result be immediate suspension of the Sanitary Permit or downgrade. If seeking to appeal the result of any notice or inspection findings, a written request for hearing must be what the force of the Director within the period of time extensional in the notice for corrections.								-		
ased on the inspection today, the items listed above identify violations which shall be corrected by the date specified by the Department. Failure to comply may result be immediate suspension of the Sanitary Permit or downgrade. If seeking to appeal the result of any notice or inspection findings, a written request for hearing must be what the force of the Director within the period of time extensional in the notice for corrections.		PIC BRIE	FED DAL A	ABOVE.						
ne immediate suspension of the Sanitary Permit or downgrade. If seeking to appeal the result of any notice or inspection findings, a written request for hearing must be unmitted to the Director within the period of time established in the notice for corrections.					- 7 - 7 - 7 - 7 - 7 - 7 - 7 - 7 - 7 - 7					
ne immediate suspension of the Sanitary Permit or downgrade. If seeking to appeal the result of any notice or inspection findings, a written request for hearing must be unmitted to the Director within the period of time established in the notice for corrections.										
ne immediate suspension of the Sanitary Permit or downgrade. If seeking to appeal the result of any notice or inspection findings, a written request for hearing must be unmitted to the Director within the period of time established in the notice for corrections.	6102								1	
ne immediate suspension of the Sanitary Permit or downgrade. If seeking to appeal the result of any notice or inspection findings, a written request for hearing must be unmitted to the Director within the period of time established in the notice for corrections.										
e immediate suspension of the Sanitary Permit or downgrade. If seeking to appeal the result of any notice or inspection findings, a written request for hearing must be			· .							
e immediate suspension of the Sanitary Permit or downgrade. If seeking to appeal the result of any notice or inspection findings, a written request for hearing must be										
ne immediate suspension of the Sanitary Permit or downgrade. If seeking to appeal the result of any notice or inspection findings, a written request for hearing must be unmitted to the Director within the period of time established in the notice for corrections.										
uhmitted to the Director within the nation of time established in the natice for corrections	ased on the i	nspection today, the ite	ms listed above identify v	violations which sha	ill be corrected by the	date specified t	y the Departn	nent. Fallure tr	comply ma	y result in
erson in Charge (Print and Sign)	e Immediate	suspension of the Sanit	tary Permit or downgrade	e. If seeking to appe	eal the result of any no	tice or inspection	on findings, a	written reques	t for hearing	must be
H C Cen 06/19/19			H.C. Seo					Date:	06/14.	110
EH Inspector (Print and Sign)	EH Inspector	(Print and Sign)	1. 5. 5.		//C-2-			Date:	1-1	(0)
J. GARCIA EPHO / L. GTAKASE EPHOI - 6/19/18	J. GOAL	CIA EPHO	/mi		LITAKASE E	PHO1 6			0/19/1	8
Rev: 08.27.15 White: DPHSS/DEH Yellow: Food Establishment	Rev:	08.27.15	_/ wi	hite: DPHSS/DEH	Yellow: Food Establi	shment				